



# CUCUMBER

# GHERKING



Early large yields of bitter free fruit even when left on vine. Plants produce fruit without insect pollination. Isolate. Best results when trellised

Relative Days (DS)	50
Type	Hybrid Pickling Cucumber
L/D Ratio	
Plant Type	Parthenocarpic, Indeterminate
Resistance/Tolerance	HR: Ccu, CMV IR: Pcu, Px

**Pathogen and Pest Codes:**

Ccu	Scab and Gummosis (Cladosporium cucumerinum)
CMV	Cucumber Mosaic Virus
Pcu	Downy Mildew (Pseudoperonospora cubensis)
Px	Powdery Mildew (Podosphaera xanthii)

Stokes Seeds Ltd., 296 Collier Rd S., PO Box 10  
Thorold, ON L2V 5E9 Canada  
[www.StokeSeeds.com](http://www.StokeSeeds.com) / 800.263.7233

Stokes Seeds Inc., 2495 Walden Ave., PO Box 548  
Buffalo, NY 14042 USA  
[www.StokeSeeds.com](http://www.StokeSeeds.com) / 800.962.4999

Note: All variety information presented herein is based on field and laboratory observation. Actual crop yield and quality are dependent upon many factors beyond our control and NO WARRANTY is made for crop yield and quality. Since environmental conditions and local practices may affect variety characteristics and performance, we disclaim any legal responsibility for these. Read all tags and labels. They contain important conditions of sale, including limitations of warranties and remedies.