



AMERICAN TAKII

American Takii, Inc.
301 Natividad Road, Salinas, CA 93906
PH: 831-443-4901 / FAX: 831-443-3976
www.takii.com

Hybrid Chinese Cabbage

Blues



DESCRIPTION: Extra slow bolting, moderate head height, medium green outer leaves, white interior with head weight of approximately 4.5 lbs., barrel-shaped Napa type

MATURITY: Early, 57 days after sowing

COMPARABLE VARIETIES: Optico

CULTURAL CHARACTERISTICS: This variety has good resistance to virus, Downy mildew, and Bacterial soft rot. Recommended for summer to early winter harvest. Blues is very well suited to areas where bolting is a problem.

ADAPTABILITY: Most North American growing areas

FEATURES

- Strong bolting tolerance
- Good resistance to diseases
- Early maturity
- Strong bolting tolerance
- Good resistance to diseases
- Early maturity

BENEFITS

- Wide adaptability
- Reduced pesticide use
- Less time in field
- Wide adaptability
- Reduced pesticide use
- Less time in field

Note: Chinese Cabbage requires vernalization. Bud differentiation and bolting results from low temperatures of 5°C for a week or 10°C for two weeks. For spring harvest, transplant seedlings with 5-7 true leaves raised at 23-24°C during the day and over 12°C at night. Providing plants with adequate water and fertilizer after transplanting will promote faster growth.

Descriptions, illustrations, photos and disease resistance, etc. are based upon the results obtained under favorable conditions and certain races of pathogens/diseases. Identical results are not guaranteed nor implied for all growing conditions. Information is based on average data compiled. Physical characteristics, adaptability and disease tolerance may vary under different conditions.
Rev C